

L Number	Hits	Search Text	DB	Time stamp
1	309	restor\$6 near4 (processor adj2 state\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:59
2	50361	(check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:35
3	215449	(correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:37
4	55647	transferr\$6 near3 control\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:40
5	488604	receiv\$6 near4 control\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:40
6	111588	return\$6 near4 (control\$6 or interrupt\$4 or halt\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:44
8	2	((restor\$6 near4 (processor adj2 state\$)) same ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction))) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction)) and (transferr\$6 near3 control\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:45
7	6	(restor\$6 near4 (processor adj2 state\$)) same ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:53
9	8	(restor\$6 near4 (processor adj2 state\$)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction)) and (transferr\$6 near3 control\$6) and (receiv\$6 near4 control\$6) and (return\$6 near4 (control\$6 or interrupt\$4 or halt\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:54

10	7	((restor\$6 near4 (processor adj2 state\$)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction)) and (transferr\$6 near3 control\$6) and (receiv\$6 near4 control\$6) and (return\$6 near4 (control\$6 or interrupt\$4 or halt\$6))) not ((restor\$6 near4 (processor adj2 state\$)) same ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:54
11	2341	(restor\$6 or recover\$6) with processor with (error\$6 or fault\$4 or problem or malfunction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 18:01
12	376	((restor\$6 or recover\$6) with processor with (error\$6 or fault\$4 or problem or malfunction)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 18:01
13	67	((restor\$6 or recover\$6) with processor with (error\$6 or fault\$4 or problem or malfunction)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction))) and (transferr\$6 near3 control\$6) and (receiv\$6 near4 control\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 18:01
14	31	((restor\$6 or recover\$6) with processor with (error\$6 or fault\$4 or problem or malfunction)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction))) and (transferr\$6 near3 control\$6) and (receiv\$6 near4 control\$6) and (return\$6 near4 (control\$6 or interrupt\$4 or halt\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 18:01

15	30	<p>((((restor\$6 or recover\$6) with processor with (error\$6 or fault\$4 or problem or malfunction)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction))) and (transferr\$6 near3 control\$6) and (receiv\$6 near4 control\$6)) and (return\$6 near4 (control\$6 or interrupt\$4 or halt\$6))) not (((restor\$6 near4 (processor adj2 state\$)) same ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction))) or ((restor\$6 near4 (processor adj2 state\$)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction)) and (transferr\$6 near3 control\$6) and (receiv\$6 near4 control\$6) and (return\$6 near4 (control\$6 or interrupt\$4 or halt\$6))))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/05/05 18:04</p>
16	0	<p>((((((restor\$6 or recover\$6) with processor with (error\$6 or fault\$4 or problem or malfunction)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction))) and (transferr\$6 near3 control\$6) and (receiv\$6 near4 control\$6)) and (return\$6 near4 (control\$6 or interrupt\$4 or halt\$6))) not (((restor\$6 near4 (processor adj2 state\$)) same ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction))) or ((restor\$6 near4 (processor adj2 state\$)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction)) and (transferr\$6 near3 control\$6) and (receiv\$6 near4 control\$6) and (return\$6 near4 (control\$6 or interrupt\$4 or halt\$6)))))) and (restor\$6 near4 (processor adj2 state\$))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/05/05 18:05</p>
17	29397	<p>(restor\$6 or save) near4 state\$</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/05/05 18:06</p>

18	13	((((restor\$6 or recover\$6) with processor with (error\$6 or fault\$4 or problem or malfunction)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction))) and (transferr\$6 near3 control\$6) and (receiv\$6 near4 control\$6)) and (return\$6 near4 (control\$6 or interrupt\$4 or halt\$6))) not (((restor\$6 near4 (processor adj2 state\$)) same ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction))) or ((restor\$6 near4 (processor adj2 state\$)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction)) and (transferr\$6 near3 control\$6) and (receiv\$6 near4 control\$6) and (return\$6 near4 (control\$6 or interrupt\$4 or halt\$6)))) and ((restor\$6 or save) near4 state\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 18:14
----	----	---	---	---------------------

19	17	<p>((((restor\$6 or recover\$6) with processor with (error\$6 or fault\$4 or problem or malfunction)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction))) and (transferr\$6 near3 control\$6) and (receiv\$6 near4 control\$6)) and (return\$6 near4 (control\$6 or interrupt\$4 or halt\$6))) not (((restor\$6 near4 (processor adj2 state\$)) same ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction))) or ((restor\$6 near4 (processor adj2 state\$)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction)) and (transferr\$6 near3 control\$6) and (receiv\$6 near4 control\$6) and (return\$6 near4 (control\$6 or interrupt\$4 or halt\$6)))))) not (((((((restor\$6 or recover\$6) with processor with (error\$6 or fault\$4 or problem or malfunction)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction))) and (transferr\$6 near3 control\$6) and (receiv\$6 near4 control\$6) and (return\$6 near4 (control\$6 or interrupt\$4 or halt\$6))) not (((restor\$6 near4 (processor adj2 state\$)) same ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction))) or ((restor\$6 near4 (processor adj2 state\$)) and ((check\$6 or monitor\$6) adj3 (error\$6 or fault\$6 or fail\$6 or problem\$ or malfunction)) and ((correct\$ or fix\$6) near4 (error\$4 or fault\$4 or problem or malfunction)) and (transferr\$6 near3 control\$6) and (receiv\$6 near4 control\$6) and (return\$6 near4 (control\$6 or interrupt\$4 or halt\$6)))))) and ((restor\$6 or save) near4 state\$))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 18:36
20	27	Machine adj check adj abort	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 18:37

21	20	platform adj management adj interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 18:38
22	54	system adj abstraction adj layer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 18:39
23	5	(Machine adj check adj abort) and (platform adj management adj interrupt) and (system adj abstraction adj layer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 18:39